



200 X 1200MM


GVT WOODEN PLANK

#### THE FINEST WOODWORK FOR THE FINEST LIVING.

Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to oer. The collection of 200x1200mm tiles is everything dierent you were looking for.









# GLITTER WITH NATURE FOR YOUR INTERIOR










21001 Finish: Random: Thickness: Size: 200 x 1200MM Matt 9mm 4 face 21001 D Finish: Thickness: Random: 200 x 1200MM Matt 9mm 4 face

21002


Finish: **Matt**  Thickness:

Size: **200 x 1200MM**  Random: **4 face** 










Finish: **Matt**  Thickness:

Size: **200 x 1200MM** 

Random: **4 face** 






21007 D

Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM**  Random: **3 face** 


















Matt

9mm



21201 21202 21203









Finish: **Matt**  Thickness: 9mm

200 x 1200MM

Random: **6 face** 



































21503 Finish: Thickness: Size: Random: 200 x 1200MM 6 face Matt 9mm 21504 Finish: Thickness: Size: Random: 200 x 1200MM Matt 9mm 6 face

21504 D

Finish: **Matt**  Thickness:

200 x 1200MM

Random: **6 face** 






21601 21601 D 21602

























Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM** 


Random: **10 face** 












Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM**  Random: 8 face



21802

Finish: **Matt**  Thickness: 9mm


Size: **200 x 1200MM**  Random: 8 face











Finish: **Matt**  Thickness:

Size: **200 x 1200MM** 

Random: **7 face** 



21902

Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM** 

Random: **7 face** 




21903

Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM** 

Random: **7 face** 





Finish: **Matt**  Thickness:


Size: **200 x 1200MM**  Random: **7 face** 











Finish:

Matt

Thickness:

9mm

Size:

200 x 1200MM

Random:

6 face


















Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM** 


Random: **8 face** 























Finish: **Matt** 

Thickness: 9mm

Size: **200 x 1200MM** 

Random: **7 face** 



22302

Finish: **Matt** 

Thickness: 9mm

Size: 200 x 1200MM

Random: **7 face** 



22303

Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM** 


Random: **7 face** 






















Matt

Thickness: 9mm

Size: **200 x 1200MM** 

Random: 6 face












Finish: **Matt** 

Thickness: 9mm

Size: **200 x 1200MM** 

Random: **10 face** 



22602

Finish: **Matt** 

Thickness: 9mm

Size: **200 x 1200MM** 

Random: **10 face** 




22603

Finish: **Matt**  Thickness: 9mm

200 x 1200MM

Random: **10 face** 















Finish: **Matt** 

Thickness: 9mm

Size: **200 x 1200MM** 

Random: 8 face




22701 D1

Finish: **Matt** 

Thickness: 9mm

200 x 1200MM

Random: **3 face** 




22701 D2

Finish: **Matt**  hickness


9mm

Size: **200 x 1200MM** 

Random: **4 face** 



















Matt

Finish: Thickness: 9mm

Size: 200 x 1200MM Random: 9 face



22801 D

Finish: Matt

Thickness: 9mm

200 x 1200MM

Random: 4 face



22802

Finish:

200 x 1200MM

Random: 9 face











Finish: **Matt**  Thickness: 9mm


Size: **200 x 1200MM** 

Random: **9 face** 

22901 D

Finish: **Matt**  Thickness: 9mm

Size: 200 x 1200MM Random: **4 face** 



22902


Finish: **Matt**  Thickness:

Size: **200 x 1200MM** 

Random: **9 face** 







Matt

9mm

200 x 1200MM


9 face











Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM** 

Random: **9 face** 













































Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM**  Random: **10 face** 



23402

Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM**  Random: **10 face** 




23501

23501 D










Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM** 

Random: **10 face** 



23501 D

Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM** 

Random: **2 face** 














Finish: **Matt**  Thickness: **9mm** 

Size: **200 x 1200MM** 


Random: **5 face** 











Finish: **Matt**  Thickness: **9mm** 

Size: **200 x 1200MM** 

Random: **10 face** 



23702

Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM** 

Random: **10 face** 



23703

Finish: **Matt** 

Thickness:

Size: **200 x 1200MM** 

Random: **10 face** 





Finish: **Matt**  Thickness: 9mm

Size: **200 x 1200MM** 

Random: **10 face** 



#### **Welcome Tiles Quality Standards**

Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group Bla (Eb ≤ 0.5%)

Technical Factors	Test	Requirements				
Technical Feature	Method	%	mm	%	mm	
A. Dimensions and Surface Quality						
Length and Width		± 0.6%	± 2.0	± 0.20%	±10	
Thickness		± 5.0%	± 0.5	± 5.00%	± 0.5	
Straightness of Sides		± 0.5%	± 1.5	± 0.20%	±10	
Rectangularity		± 0.5%	± 2.0	± 0.20%	± 1.2	
Surface Flatness a) Centre curvature b) Edge curvature c) Warpage	UNI EN ISO 10545-2	± 0.5% ± 0.5% ± 0.5%	± 2.0 ± 2.0 ± 2.0	± 0.20% ± 0.20% ± 0.20%	±10 ±10 ±10	
Surface Quality		A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.		Compliant		
3. Physical Properties						
Water Absorption	UNI EN ISO 10545-3	Ebs 0.5% Individual maximum : 0.6% (absorbed water mass)		Eь < 0.1% (absorbed water mass)		
Breaking Strength	UNI EN	Min. 1300 N		≥ 1700 N		
	UNIEN					

Water Absorption	UNI EN ISO 10545-3	Individual maximum : 0.6% (absorbed water mass)	Eь≤ 0.1% (absorbed water mass)	
Breaking Strength	UNI EN	Min. 1300 N	≥ 1700 N	
Modulus of Rupture	ISO 10545-4	Average minimum 35 N/mm² Individual minimum 32 N/mm²	≥ 37 N/mm²	
Frost Resistance	UNI EN ISO 10545-12	Required	Compliant	
Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°c	UNI EN ISO 10545-8	Required	6 x 10 <sup>-8</sup> K <sup>-1</sup> max	
Scratch Hardness (Mohs scale)	EN 101	Declared by the producer	3 to 6 Depends on Finish & Color	
Crazing Resistance	UNI EN ISO 10545-11	Declared by the producer	Cycle Pass	

#### C. Chemical Properties

Resistance to Staining	UNI EN ISO 10545-14	Minimum Class 3	5	
Resistance to Household Chemicals and Swimming Pool Salts		Minimum GB	GA	
Resistance to Low Concentrations of Acids and Alkalis	UNI EN ISO 10 45-13	To be reported	GLA	
Resistance to High Concentrations of Acids and Alkalis		To be reported	GHA	

Note: Colours shown are as accurate as the limitations of the printing results on paper are possible. Prospective customers are advised to inspect a sample of the tile before placing the order. Every effort has been taken to ensure the accuracy of the information given. However, the company reserves its right to change/alter the specifications without any prior notice. Sometime shade variation or size variation may occur, as this is inherent property of ceramic tile industry. Before fixing the tiles, all are advised to follow the laying instructions printed on the corrugated box of the tile. Company does not take/carry any responsibility of what so ever nature, once tiles are laid.

#### **Packing Details**

Size	Thickness	pcs / Box	m² / Box	kg / Box	Total Box/ 1x20ft FCL	Total m <sup>e</sup> / 1x20ft FCL
200x1200mm	9.0mm (Approx.)	5 рсв	120 Sq.mtr	26.70 kg (Approx)	1040	1248





#### WELCOME TILES PVT LTD

JETPAR MORBI ROAD, MORBI,363642 GUJARAT, INDIA.